

## 아람극장 상부 무대기계

NO	DESCRIPTION	DIMENSIONS	QUANTITY	SPEED (M/MIN)	CAPACITY (Kg)	TYPE	NOTE
1	APRON STAGE ONE POINT HOIST	1 POINT	12	18	200 (1POINT)	WINCH (SCREW)	
2	PLACARD BATTEN	18,700L	1	18	300	WINCH (SCREW)	
3	APRON LIGHT BATTEN	18,700L	1	9	1,000	WINCH (SCREW)	
4	LIGHTING TOWER	850L x 550W x 7,270H	2	FIXED			
5	SAFETY CURTAIN (자유낙하시스템으로 변경)	19,500L x 13,000H	1		7,000	WINCH & WEIGHT	공연중 머리막 대응으로 사용 불가
6	PANORAMA SET BATTEN 2,4번	23,000L	2	1~70	350	WINCH (SCREW)	
7	MAIN CURTAIN	20,800L x 13,500H	1	1 ~ 40	1,500	WINCH & WEIGHT	
8	OPERA CURTAIN	22,000L x 13,000H	1	U/D 1 ~ 90	1,000	WINCH & WEIGHT	공연중 안전 속도 60%
				OP-CL 1 ~ 70			
				SLATING 1~70			
9	FLY SET BATTEN	23,000L	56	1 ~90	1,000	WINCH (SCREW)	TOTAL : 56
10	FLY SET BATTEN 55,56번(BLACK,WHITE)	24,000L x 13,000H	2	1 ~90	1,000	WINCH &WEIGHT	공연중 안전속도 45%
11	TRACK POINT HOIST	6 POINT	5	1 ~70	150 (1POINT)	WINCH (SCREW)	
12	FREE SINGLE POINT HOIST	1 POINT	12	1 ~90	200	WINCH (SCREW)	
13	PANORAMA SET BATTEN 5,6번	17,600L	2	1 ~ 70	550	WINCH (SCREW)	
14	LIGHT BRIDGE	22,000L x 2,400H	4	5	4,000	WINCH & WEIGHT	

NO	DESCRIPTION	DIMENSIONS	QUANTITY	SPEED (M/MIN)	CAPACITY (Kg)	TYPE	NOTE
15	PANORAMA LIGHT BLOCK (A - TYPE)	3,300L	4	9	500	WINCH (SCREW)	
	PANORAMA LIGHT BLOCK (B - TYPE)	2,900L	4				
16	SCREEN	18,000L x 10,000H	1	1 ~45	500	WINCH & WEIGHT	
17	REAR SCREEN	18,000L x 10,000H	1	12	500	WINCH & WEIGHT	
18	SIDE STAGE HOIST	이동거리 : 14M	4	U/D 12	1,000	WINCH	사용중지(추후 수리예정)
				SLIDING 24			
19	REAR STAGE HOIST	이동거리 : 16M	2	U/D 12	1,000	WINCH	
				SLIDING 24			
20	REAR STAGE BATTEN	15,000L	6	12	550	WINCH	
21	LOWER STAGE HOIST	이동거리 : 16M - 2UNIT	2	U/D 12	1,000	WINCH	사용중지 (추후 수리예정)
				SLIDING 24			
22	UPPER HORIZONT LIGHT BATTEN	23,000L	1	9	500	WINCH	
23	SIDE CURTAIN	4,000L x 13,000H	7조			MANUAL TYPE	
		5,000L x 13,000H	1조				
24	HEAD CURTAIN	23,000L x 2,500H	3			MANUAL TYPE	
		23,000L x 3,500H	3				
		23,000L x 6,000H	2				

아람극장 하부 무대기계

NO	DESCRIPTION	DIMENSIONS	QUANTITY	SPEED (M/MIN)	CAPACITY (Ton)	TYPE	NOTE
1	NO.1 ORCHESTRA LIFT	19,000L x 2,250H	1	3	7	SPIRAL LIFT	비상 MOTOR – 15KW x 4P 사용불가
	NO.2 ORCHESTRA LIFT	17,800L x 3,750H	1	3	12	SPIRAL LIFT	
2	NO.1 SEAT WAGON	19,000L x 2,250H	1				
	NO.2 SEAT WAGON	17,800L x 3,750H	1				
3	MAIN STAGE LIFT	18,000L x 5,000H	3	1 ~ 12	15	BALL SCREW	
4	SMALL SUB LIFT	18,000L x 2,500H	6	1.5	4	DUBLE SCREW JACK	
				TILTING : 25 SEC		SCREW JACK	
5	COMPENSATING LIFT(SIDE)	3,000L x 5,000H	6	1.2	1.5	SCREW JACK	
6	COMPENSATING LIFT(REAR)	18,000L x 2,500H	1	1.2	5	SCREW JACK	
7	COMPENSATING LIFT(TOP)	18,000L x 2,500H	1	1.2	5	SCREW JACK	
8	SLIDE WAGON	18,000L x 5,000H	6	SLIDING 1~40	4	CHAIN TYPE	
9	SIDE SINKING STAGE	18,000L x 5,000H	6	1.2	8	SCREW JACK	
10	TURNTABLE WAGON	18,000L x 15,000H	1	SLIDING 1~22	10	CHAIN TYPE	
11	TURNTABLE	Ø 14000		TURNING 1~1.2RF	5	TRACTION WHEEL TYPE	
12	REAR SINKING STAGE	18,000L x 2,500H	3	1.2	4	SCREW JACK	
		18,000L x 7,500H	1	1.2	8	SCREW JACK	
13	BOTTOM FLOOR RECEIVER	15,500L x 5,000H	1	2.5		SCISSOR TYPE	
				SLIDING 5		TRACTION WHEEL TYPE	